



7900 West Division Street | River Forest, IL 60305

Lund Auditorium - Facilities Specifications and Information

Contact Information

Production Manager
Patron Services Manager
Managing Director

Samantha Barr
Patrick Serrano
Leslie Rodriguez

(708) 524-6492
(708)524-5115
(708) 524-6821

sbarr@dom.edu
pserrano@dom.edu
lrodriguez@dom.edu

Stage Dimensions

Proscenium Opening

33'-6" x 16' at corners and 17' at centerline

Electrics

- ETC Express 250 lighting console running DMX signal to 102 dimmers
- DMX splitter backstage left
- System operates off 400 amp 3 phase
- All circuits and instruments use 2P&G, 20 amp connectors
- Some adapters and two-fers are available
- A large quantity of stage cable of varying lengths is available
- 6 boom bases and pipes are available

Positions

- Three pre-hung stage electrics, 12 circuits each:
+5', +10'-6", and +18' from curtain line
Additional electrics and floor positions are available with approval
- 12 – 2.4Kw circuits each for the three electrics over the stage
These circuits are available

Sound

- Front end for major concerts is professionally contracted
- Front end for small concerts and incidental needs is in-house

In-House Equipment

- 16/4 Mackie soundboard
- Behringer X-32 Digital soundboard
- 2 – EV ZLX 15P powered speakers
- 3 - Hotspots
- 4 - 200watt Yamaha monitor speakers – 2 are hung on the first electric
- CD, Ipod, and Cassette playback. 2 CD players in booth. 1 Backstage Left





**Dominican University Main Campus
7900 West Division Street in River
Forest, Illinois.**

From I-290 (the Eisenhower Expressway) traveling from either east or west

- take the Harlem Street exit approximately 10 miles west of Chicago's downtown
- North to Division Street.
- Turn left (west) and travel eight blocks to the Main Campus.
- Turn right at the second entrance into the campus.
- The loading dock for the Lund Auditorium is straight ahead on the other side of the traffic circle.
- Parking for buses, trucks, and artists' vehicles can be blocked off adjacent to the theatre if requested in advance.
- Please note, there is Dds/TT2 1 34Es